Application Serial No. 10/655,762 Final Office Action Mailed November 21, 2007 Amendment submitted May 9, 2008

Listing of Claims

This listing of claims will replace all prior versions and listings of claims in the application.

- (CURRENTLY AMENDED) A method for measuring the amount of at least two target nucleic acid sequences <u>corresponding to at least two genes</u> in a biological sample, comprising the steps of:
 - a) preparing a sample by combining in a sample the biological sample comprising the at least two target nucleic acid sequences <u>corresponding to</u> <u>the at least two genes</u> and a known amount of at least two standard nucleic acids, wherein said at least two standard nucleic acids have a nucleotide sequence that is one base different than the respective target nucleic acid sequence;
 - b) amplifying the sample of step a);
 - c) using a primer extension reaction at the site of differentiation to enhance a mass difference between the at least two standard nucleic acid sequences and the at least two target nucleic acid sequences <u>corresponding to the at least two genes</u> at the site wherein each of the standard nucleic acid sequence differs from the respective target nucleic acid sequence <u>corresponding to the at least two genes</u> resulting in enhanced products with different masses so that the mass differences between the at least two standard and the at least two target nucleic acid sequences <u>corresponding</u> to the at least two genes can be detected; and
 - d) quantifying the enhanced products of step c) by measuring the ratio of each of the amplified target nucleic acid to its corresponding amplified standard nucleic acid to measure the amount of the at least two target nucleic acid sequences <u>corresponding to the at least two genes</u> present in the biological sample, wherein the quantifying is performed using MALDI-TOF mass spectrometry.

Application Serial No. 10/655,762 Final Office Action Mailed November 21, 2007 Amendment submitted May 9, 2008

- (CURRENTLY AMENDED) The method of claim 1, wherein the at least two target nucleic acid sequences <u>corresponding to the at least two genes</u> are from an infectious agent.
- (CURRENTLY AMENDED) The method of claim 1, wherein the at least two target nucleic acid sequences corresponding to the at least two genes are mRNA transcripts,
- 4.-9. (CANCELLED)
- (CURRENTLY AMENDED) The method of claim 1, wherein one measures the amount
 of at least 5 target nucleic acid sequences <u>corresponding to at least 5 genes</u> using at least
 5 respective standard nucleic acids.
- (CURRENTLY AMENDED) The method of claim 1, wherein one measures the amount
 of at least 10 target nucleic acid sequences <u>corresponding to at least 10 genes</u> using at
 least 10 respective standard nucleic acids.
- (CURRENTLY AMENDED) The method of claim 1, wherein one measures the amount
 of 25 target nucleic acid sequences <u>corresponding to at least 25 genes</u> using at least 25
 respective standard nucleic acids.
- (CURRENTLY AMENDED) The method of claim 1, wherein one measures the amount
 of 50 target nucleic acid sequences <u>corresponding to at least 50 genes</u> using at least 50
 respective standard nucleic acids.
- 14. (CANCELLED)